

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 24.07.2015 / 0002

Replaces revision of / Version: 24.07.2013 / 0001 Valid from: 24.07.2015 PDF print date: 24.07.2015

COSMO PU-201,180 COSMO PU-201 190

(COSMOPUR 890 - Binder) (COSMOPUR 890.45 - Binder)

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

COSMO PU-201.180 COSMO PU-201.190

(COSMOPUR 890 - Binder) (COSMOPUR 890.45 - Binder)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture:

Adhesive

Sector of use [SU]: SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against:

### 1.3 Details of the supplier of the safety data sheet

Weiss Chemie + Technik GmbH & Co.KG, Hansastrasse 2, 35708 Haiger, Germany

Phone: +49(0)2773/815-0, Fax: ---msds@weiss-chemie.de, www.weiss-chemie.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

### 1.4 Emergency telephone number

Emergency information services / official advisory body:

## Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WIC)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)
The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included

under XIII of the regulation (EC) 1907/2006.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substance

### 3.2 Mixture

Registration number (REACH)	
Index	-
EINECS, ELINCS, NLP	•
CAS	
content %	
Classification according to Regulation (EC) 1272/2008	***
(CLP)	

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### Inhalation

Remove person from danger area

Supply person with fresh air and consult doctor according to symptoms. **Skin contact** 

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor. **Eye contact** 

Remove contact lenses

Wash thoroughly for several minutes using copious water. Seek medical help if necessary

## Ingestion

Rinse the mouth thoroughly with water.
Do not induce vomiting. Consult doctor immediatel

## 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguish

Unsuitable extinguishing media

### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop

Oxides of carbon

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire

Full protection, if necessary

Dispose of contaminated extinction water according to official regulations.

### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin

If applicable, caution - risk of slipping

## 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities

### 6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13. Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

## 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.
Avoid contact with eyes.
Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use.

## 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair well: Store product closed and only in original packing

7.3 Specific end use(s) No information available at pr

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Œ	Chemical Name	Calcium carbonate					Content %:	
WEL-TWA: 4 mg/m3 (respirable dust), WEL-STEL: 10 mg/m3 (total inhalable dust)								
Mo	Monitoring procedures:							
BMGV: Other information:								

® □	Chemical Name	Silica, am	orphous		Content %:
WEL-	-TWA: 6 mg/m3 (total is	nh. dust),	WEL-STEL:		
2,4 m	g/m3 (resp. dust)				
Monit	oring procedures:				
BMG\	V:			Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) E140. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany), I WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value E140. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing racner and/or heritable genetic damage.

"\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the roal of revision.

the goal of revision

Calcium carbonate						
Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	
Consumer	Human - oral	Short term, systemic effects	DNEL	6,1	mg/kg bw/day	
Consumer	Human - oral	Long term, systemic effects	DNEL	6,1	mg/kg bw/day	
	Environment - sewage treatment		PNEC	100	mg/l	

### 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls



GB Page 2 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 24.07.2015 / 0002

Replaces revision of / Version: 24.07.2013 / 0001 Valid from: 24.07.2015 PDF print date: 24.07.2015

COSMO PU-201,180 COSMO PU-201 190

(COSMOPUR 890 - Binder) (COSMOPUR 890.45 - Binder)

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here

## 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

Recommended

Protective nitrile gloves (EN 374)

Minimum layer thickness in mm

>= 0.35

Permeation time (penetration time) in minutes: >= 480

The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical

conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection

Normally not necessary

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and

degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested

before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer

and must be observed

8.2.3 Environmental exposure controls No information available at pre

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Liquid, Pastelike Beige, White Characteristic Physical state: Colour: Odour: Odour threshold: Not determined Melting point/freezing point:
Initial boiling point and boiling range:
Flash point: n.a. Not determined Not determined Not determined Evaporation rate Not determined Flammability (solid, gas): Lower explosive limit: Upper explosive limit: n.a. Not determined Not determined Not determined Vapour pressure: Vapour density (air = 1): Not determined Density: Bulk density: 1,57 g/cm3 (20°C) Not determined Solubility(ies):
Water solubility:
Partition coefficient (n-octanol/water): Not determined Insoluble Not determined Auto-ignition temperature: Not determined Decomposition temperature: Not determined Not determined

Viscosity: Explosive properties Oxidising properties: Product is not explosive No

9.2 Other information

Not determined Miscibility: Fat solubility / solvent: Not determined Conductivity Not determined Surface tension: Solvents content Not determined

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

# Not to be expected 10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

## 10.5 Incompatible materials

See also section 7 None known

### 10.6 Hazardous decomposition products

See also section 5.2 No decomposition when used as directed.

## **SECTION 11: Toxicological information**

information on health effects, see Section 2.1 (classification)

COSMO PU-201.180 COSMO PU-201.190

(COSMOPUR 890 - Binder)

oxicity / effect	End poin t	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral oute:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by nhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
Other information:						Classification according to calculation

0-1-1						
Calcium carbonate Toxicity / effect	End poin t	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:	LD5 0	>2000	mg/ kg	Rat	OECD 420 (Acute Oral toxicity - Fixe Dose Procedure)	
Acute toxicity, by dermal route:	LD5 0	>2000	mg/ kg	Rat	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC5 0	>3	mg/l /4h	Rat	OECD 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosi on)	Not irritant
Serious eye damage/irritation:				Rabbit	OÉCD 405 (Acute Eye Irritation/Corrosi on)	Not irritant
Respiratory or skin sensitisation:				Mouse	OÉCD 429 (Skin Sensitisation - Local Lymph Node Assay)	Not sensitizising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:					OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative
Carcinogenicity:						No indications of such an effect.
Reproductive toxicity:	NOE L	1000	mg/ kg bw/d	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/D evelopm. Tox. Screening Test)	
Specific target organ toxicity - single exposure (STOT-SE): Specific target organ						No indications o such an effect.
toxicity - repeated exposure (STOT-RE):						No indications o such an effect.
Aspiration hazard: Symptoms:						No blood in urine (haematuria), nausea and vomiting.

Silica, amorphous								
Toxicity / effect	End poin t	Value	Unit	Organis m	Test method	Notes		
Acute toxicity, by oral route:	LD5 0	>5000	mg/ kg	Rat				



Page 3 of 4
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 24.07.2015 / 0002

Replaces revision of / Version: 24.07.2013 / 0001 Valid from: 24.07.2015 PDF print date: 24.07.2015 COSMO PU-201,180 COSMO PU-201,190

(COSMOPUR 890 - Binder) (COSMOPUR 890.45 - Binder)

ı							
l	Acute toxicity, by	LD5	>2000	mg/	Rat	OECD 402	
l	dermal route:	0		kg		(Acute Dermal	
l				-		Toxicity)	
l	Acute toxicity, by	LC5	>0,691	mg/l	Rat		
l	inhalation:	0		/4h			
l	Skin					OECD 404	Not irritant
l	corrosion/irritation:					(Acute Dermal	
l						Irritation/Corrosi	
l						on)	
l	Serious eye						Not irritant
l	damage/irritation:						
l	Germ cell					OECD 471	Negative
l	mutagenicity:					(Bacterial	
l						Reverse	
						Mutation Test)	

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification)
COSMO PU-201.180
COSMO PU-201.190

Calcium carbonate

(COSMOPUR 890 - Binder) (COSMOPUR 890.45 - Binder)

Toxicity / effect	Endpo int	Ti me	Val ue	Unit	Organism	Test method	Notes	
Toxicity to fish:							n.d.a.	
Toxicity to							n.d.a.	
daphnia:								
Toxicity to algae:							n.d.a.	
Persistence and							n.d.a.	
degradability:								
Bioaccumulative							n.d.a.	
potential:								
Mobility in soil:							n.d.a.	
Results of PBT							n.d.a.	
and vPvB								
assessment								
Other adverse							n.d.a.	
offocts:	l	l	I	I	l	1	1	

Toxicity / effect	Endpo int	Ti me	Val ue	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	>1	mg/l	Oncorhynch	OECD 203	v/v saturated
Toxicity to fion.	2000	5011	00	mg/i	us mykiss	(Fish.	solution of test
					do myndo	Acute	material
						Toxicity	
						Test)	
Toxicity to	LC50	48h	>1	mg/l	Daphnia	OECD 202	v/v saturated
daphnia:					magna	(Daphnia	solution of test
					-	sp. Acute	material
						Immobilisat	
						ion Test)	
Toxicity to algae:	EC50	72h	>1	mg/l	Desmodesm	OECD 201	
			4		us	(Alga,	
					subspicatus	Growth	
						Inhibition	
						Test)	
Toxicity to algae:	NOEC/	72h	14	mg/l	Desmodesm	OECD 201	
	NOEL				us	(Alga,	
					subspicatus	Growth	
						Inhibition	
						Test)	
Persistence and							Not relevant for
degradability:							inorganic substances.
Bioaccumulative							No
potential:							INO
Mobility in soil:							n.a.
Results of PBT							No PBT
and vPvB							substance, No
assessment							vPvB substance
Toxicity to	EC50	3h	>1	mg/l	activated	OECD 209	
bacteria:			000	_	sludge	(Activated	
						Sludge,	
						Respiration	
						Inhibition	
						Test	
						(Carbon	
						and	
						Ammonium	
T	NOTE:		400			Oxidation))	
Toxicity to	NOEC/	3h	100	mg/l	activated	OECD 209	
bacteria:	NOEL		0		sludge	(Activated	
						Sludge,	
						Respiration	
						Inhibition	
						Test	
						(Carbon and	
						and Ammonium	
						Oxidation))	
Other organisms:	NOEC/	14d	100	mg/	Eisenia	OECD 207	
Suitor Organismo.	NOEL	'	0	kg	foetida	(Earthworm	
	ITOLL			dw	Journa	, Acute	
				411		Toxicity	
						Tests)	
Other organisms:	NOEC/	21d	100	mg/		OECD 208	Glycine max
3	NOEL	"	0	kg		(Terrestrial	<b>,</b>
				dw		Plants,	
						Growth	
						Test)	
							-

Other organisms:	NOEC/	21d	100	mg/	OECD 208 Avena s	ativa
	NOEL		0	kg	(Terrestrial	
				dw	Plants,	
					Growth	
					Test)	
Other organisms:	NOEC/	21d	100	mg/	OECD 208 Lycoper	sicon
	NOEL		0	kg	(Terrestrial esculen	tum
				dw	Plants,	
					Growth	
					Test)	
Other organisms:	NOEC/	28d	100	mg/	OECD 216	
	NOEL		0	kg	(Soil	
				dw	Microorgani	
					sms -	
					Nitrogen	
					Transforma	
					tion Test)	
Water solubility:			0,0	g/l	OECD 105 20°C	
			166		(Water	
					Solubility)	

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### For the substance / mixture / residual amounts

EC disposal code no.:

Recommendation:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recummendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site.

### For contaminated packing material

Pay attention to local and national official regulations

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## **SECTION 14: Transport information**

## **General statements**

n.a. Transport by road/by rail (ADR/RID)

UN proper shipping name: Transport hazard class(es): n.a.

Packing group: Classification code n.a. n.a.

LQ (ADR 2015): Environmental hazards: Tunnel restriction code: Not applicable

Transport by sea (IMDG-code)
UN proper shipping name:
Transport hazard class(es): n.a. Packing group: Marine Pollutant: Environmental hazards Not applicable

Transport by air (IATA)
UN proper shipping name:
Transport hazard class(es):
Packing group: Packing group: Environmental hazards: n.a.

Not applicable Special precautions for user

ified otherwise, general measures for safe transport must be followed

Transport in bulk according to Annex II of MARPOL and the IBC Code Non-dangerous material according to Transport Regulations

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2. Observe restrictions:

General hygiene measures for the handling of chemicals are applicable. Directive 2010/75/EU (VOC): 0 g/I

## 15.2 Chemical safety assessment

ent is not provided for mixtures

## **SECTION 16: Other information**

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

## Any abbreviations and acronyms used in this document:

Article Categories

Acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (=

European Agreement concerning the International Carriage of Dangerous Goods by Road)

ACEL

ACCEPTABLE OPERATOR STREET CARRIAGE STRE

Adsorbable organic halogen compounds AOX

Testing, Germany)

approx. approximately
Art., Art. no.Article number
ATE Acute Toxicity
BAM Bundesanstalt Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and



GB Page 4 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 24.07.2015 / 0002

Replaces revision of / Version: 24.07.2013 / 0001 Valid from: 24.07.2015 PDF print date: 24.07.2015 COSMO PU-201,180 COSMO PU-201 190

(COSMOPUR 890 - Binder) (COSMOPUR 890.45 - Binder)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health

and Safety, Germany)

BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) Biological monitoring guidance value (EH40, UK) Biochemical oxygen demand Bromine Science and Environmental Forum BHT BMGV BOD BSEF

bw CAS

Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants

CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques
CIPAC Collaborative International Pesticides Analytical Council
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toute
CODE CODE COUNTY THE DESCRIPTION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

Chemical oxygen demand
Cosmetic, Toiletry, and Fragrance Association
Derived Minimum Effect Level
Derived No Effect Level COD

DMEL DNEL DOC Dissolved organic carbon

DT50 Dwell Time - 50% reduction of start concentration DVS

Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for d Allied Processes) Welding

dw

dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC

European Community European Chemicals Agency ECHA EEA EEC EINECS ELINCS

European Economic Area
European Economic Community
European Inventory of Existing Commercial Chemical Substances
European List of Notified Chemical Substances

ΕN European Norms

United States Environmental Protection Agency (United States of America) EPA

ERC ES

Environmental Release Categories
Exposure scenario
et cetera etc. EU European Union EWC

European Waste Catalogue Fax number Fax

gen. GHS GWF general
Globally Harmonized System of Classification and Labelling of Chemicals

GIVP Global warming potential
HET-CAM
Hen's Egg Test - Chorionallantoic Membrane
Halocarbon Global Warming Potential
International Agency for Research on Cancer
IATA International Air Transport Association
International Bulk Container
IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration
IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive International Uniform ChemicaL Information Database

LC LC50 LCLo lethal concentration lethal concentration 50 percent kill lowest published lethal concentration

LD LD50 LDLo Lethal Dose of a chemical Lethal Dose, 50% kill Lethal Dose Low

Lowest Observed Adverse Effect Level Lowest Observed Effect Concentration Lowest Observed Effect Level LOAEL LOEC LOEL

LQ MARPOL

Limited Quantities
International Convention for the Prevention of Marine Pollution from Ships not applicable

n.a. n.av. not available n.av. n.c. n.d.a. NIOSH NOAEC NOAEL not checked

not data available
National Institute of Occupational Safety and Health (United States of America)
No Observed Adverse Effective Concentration
No Observed Adverse Effect Level

NOEC No Observed Effect Concentration NOEL ODP OECD

No Observed Effect Level
Ozone Depletion Potential
Organisation for Economic Co-operation and Development

org. PAH organic polycyclic aromatic hydrocarbon PBT

persistent, bioaccumulative and toxic Chemical product category Polyethylene Predicted No Effect Concentration PC PE PNEC

Photochemical ozone creation potential ppm PROC parts per million

ppm parts per million
PROC Process category
PTFE Polytetrafluorethylene
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS
No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely

technical identifiers for processing a submission via REACH-IT.

RID Réglement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use SVHC

Substances of Very High Concern Telephone
Theoretical oxygen demand

Tel. ThOD TOC Total organic carbon

Total organic carbon
Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)
United Nations Recommendations on the Transport of Dangerous Goods
Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))
Volatile organic compounds
very persistent and very bioaccumulative TRGS UN RTDG VbF

VOC vPvB

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).
WHO World Health Organization

wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge No responsibility.

These statements were made by:

Chemical Check GmbH. Chemical Check Platz 1-7. D-32839 Steinheim. Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.



GB Page 1 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 24.07.2015 / 0003 Replaces revision of / Version: 24.11.2013 / 0002 Valid from: 24.07.2015 PDF print date: 24.07.2015 COSMO PU-265,120

(COSMOPUR 805 - Härter)

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

COSMO PU-265.120

### (COSMOPUR 805 - Härter)

Diphenylmethanediisocyanate, isomeres and homologues Registration number (ECHA): --EINECS, ELINCS, NLP: ---CAS: 9016-87-9

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Adhesive
Sector of use [SU]:
SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against:

No information available at present

#### 1.3 Details of the supplier of the safety data sheet

(GB)

Weiss Chemie + Technik GmbH & Co.KG, Hansastrasse 2, 35708 Haiger, Germany Phone: +49(0)2773/815-0, Fax: --- msds@weiss-chemie.de, www.weiss-chemie.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

## 1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

mazaru ciass	nazaru category	nazaru statement
Acute Tox.	4	H332-Harmful if inhaled.
Eye Irrit.	2	H319-Causes serious eye irritation.
STOT SE	3	H335-May cause respiratory irritation.
Skin Irrit.	2	H315-Causes skin irritation.
Resp. Sens.	1	H334-May cause allergy or asthma
		symptoms or breathing difficulties if inhaled.
Skin Sens.	1	H317-May cause an allergic skin reaction.
STOT RE	2	H373-May cause damage to organs through
		prolonged or repeated exposure.
Carc.	2	H351-Suspected of causing cancer.

## 2.2 Label elements

## Labeling according to Regulation (EC) 1272/2008 (CLP)





Diphenylmethanediisocyanate, isomeres and homologues CAS: 9016-87-9, Index:--- EC: ---

## Danger

H332-Harmful if inhaled. H319-Causes serious eye irritation. H335-May cause respiratory irritation. H315-Causes skin irritation. H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317-May cause an allergic skin reaction. H373-May cause damage to organs through prolonged or repeated exposure. H351-Suspected of causing cancer.

P201-Obtain special instructions before use. P260-Do not breathe vapours or spray. P280-Wear protective gloves/protective clothing and eye protection/face protection. P284-Wear respiratory

protection. P284-year respiratory protection. P284-year respiratory protection. P282+P382-IF ON SKIN: Wash with plenty of water and soap. P304+P340-IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313-IF exposed or concerned: Get medical advice/attention

EUH204-Contains isocyanates. May produce an allergic reaction

#### 2.3 Other hazards

No vPvB substance No PBT substance

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substance

Diphenylmethanediisocyanate, isomeres and homologues	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	-
CAS	9016-87-9
content %	
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H332
(CLP)	Eye Irrit. 2, H319
	STOT SE 3, H335
	Skin Irrit. 2, H315
	Resp. Sens. 1, H334
	Skin Sens. 1, H317
	Carc. 2, H351
	STOT RE 2, H373

#### 3.2 Mixture

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1/3.2 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### Inhalation

Remove person from danger area.
Supply person with fresh air and consult doctor according to symptoms.
If the person is unconscious, place in a stable side position and consult a doctor.

Respiratory arrest - Artificial respiration apparatus necessary.

## Skin contact

Wipe off residual product carefully with a soft, dry cloth

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Dab away with polyethylene glycol 400

## Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

## Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately. Never pour anything into the mouth of an unconscious person!

## 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptom The following may occur: Dermatitis (skin inflammation) ns and effects can be found in section 11 and the absorption route in section 4.1.

Drying of the skin. Allergic contact eczema

Discoloration of the skin Irritant to mucosa of the nose and throat

Coughing Headaches

Effect on the central nervous system

Asthmatic symptoms

In case of sensitivity, concentrations below the limit value may already result in asthmatic symptoms

Respiratory distress
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours

4.3 Indication of any immediate medical attention and special treatment needed In case of irritation of the lungs, perform first-aid with controlled-dosage aerosol dexamethasone. Pulmonary oedema prophylaxis

Medical supervision necessary due to possibility of delayed reaction

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

CO2 Extinction powder

Water jet spray

## Unsuitable extinguishing media

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can deve

Oxides of carbon Oxides of nitrogen

Isocyanates

Hydrocyanic acid (hydrogen cyanide)

Danger of bursting (explosion) when heated

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply.

According to size of fire Full protection, if necessary

Cool container at risk with water

Dispose of contaminated extinction water according to official regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid inhalation, and contact with eyes or skin.

If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this possible without risk



GB Page 2 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 24.07.2015 / 0003

Replaces revision of / Version: 24.07.2013 / 0002 Valid from: 24.07.2015 PDF print date: 24.07.2015 COSMO PU-265,120

(COSMOPUR 805 - Härter)

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous e dispose of according to Section 13. Allow to stand for a few days in an unclosed container until reaction no longer occurs. Keep moist. ous earth, sawdust) and

Do not close packing drum. CO2 formation in closed tanks causes pressure to rise.

## 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid inhalation of the vapours.

If applicable, suction measures at the workstation or on the processing machine necessary.

Avoid contact with eyes or skin.

No contact with products of this type in case of allergies, asthma und chronic respiratory tract disorders. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace
General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.

Wash flamus betwee bleaks and a final and the work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Reep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Keep protected from direct sunlight and temperatures over 50°C.

Only store at temperatures from 15°C to 25°C.

7.3 Specific end use(s)

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

GB Chemical Name		Diphenylmethanediisocyanate, isomeres and homologues							
	WE	L-TWA: 0,02 mg/m3 (Isc	cyanates,	WEL-STEL:	0,07 mg/r	n3 (Isocyanates,			
	all (	as -NCO))		all (as -NCO)	)				
		nitoring procedures:							
	BM	GV: 1 µmol urinary diami	ne/mol creati	nine in urine		Other information	n: Sen		
	(Iso	cyanate, post task)				(Isocyanates, all	(as -NCO)	)	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany), I WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period), I BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision

the goal of revision

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection

should be worn.

Applies only if maximum permissible exposure values are listed here

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166)

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374).

Recommended

Protective nitrile gloves (EN 374)
Minimum layer thickness in mm:
>= 0,35
Permeation time (penetration time) in minutes:

>= 480
The breakthrough times determined in accordance with EN 374 Part 3 were not obtained under practical

conditions.

The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection

Normally not necessary.

If OES or MEL is exceeded.

Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information

about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and

degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed

## 8.2.3 Environmental exposure controls

No information available at present

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical Colour: Odour: Odour threshold: Slightly Not determined pH-value:
Melting point/freezing point:
Initial boiling point and boiling range: Not determined ~ -24 °C (Drop point ) Not determined Flash point Not determined Evaporation rate Not determined Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Not determined

Not determined Not determined ~1 hPa (20°C, Regulation (EC) 440/2008 A.4. (VAPOUR PRESSURE))

Vapour density (air = 1):

1,24 g/ml (20°C, DIN 51757)

Density:
Bulk density:
Solubility(ies):
Water solubility: n.a. Not determined Insoluble Not determined
>500 °C (DIN 51794)
Not determined
-200 mPas (25°C, DIN 53211)
Product is not explosive. Partition coefficient (n-octanol/water):

Partition coefficient (n-octand Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties:

9.2 Other information

Not determined Miscibility: Fat solubility / solvent: Not determined Conductivity: Surface tension: Solvents content Not determined Not determined Not determined

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

10.2 Chemical stability

# Stable with proper storage and handling. 10.3 Possibility of hazardous reactions

Exothermic react Alcohols Amines Bases

Acids Water Developement of: Carbon dioxide

CO2 formation in closed tanks causes pressure to rise. Pressure increase will result in danger of bursting

10.4 Conditions to avoid

See also section 7.

Protect from humidity.
Polymerisation due to high heat is possible.
T > 260°C

## 10.5 Incompatible materials See also section 7 Acids

Bases

Amines

Alcohols

## 10.6 Hazardous decomposition products

See also section 5.2
No decomposition when used as directed.

## **SECTION 11: Toxicological information**

Possibly more information on health effects, see Section 2.1 (classification) Diphenylmethanediisocyanate, isomeres and homologues

Toxicity / effect	End poin t	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:	LD5 0	>1000 0	mg/ kg	Rat		
Acute toxicity, by oral route:	LD5 0	>2000	mg/ kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by oral route:	LD5 0	>5000	mg/ kg	Rat		
Acute toxicity, by dermal route:	LD5 0	>1000 0	mg/ kg	Rabbit		
Acute toxicity, by dermal route:	LD5 0	>2000	mg/ kg	Rabbit		
Acute toxicity, by dermal route:	LD5 0	>9400	mg/ kg	Rabbit		
Acute toxicity, by dermal route:	LD5 0	>9400	mg/ kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC5 0	0,31	mg/l /4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Aerosol



Page 3 of 4
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revised on / Version: 24.07.2015 / 0003

Replaces revision of / Version: 24.11.2013 / 0002 Valid from: 24.07.2015 PDF print date: 24.07.2015 COSMO PU-265.120

(COSMOPUR 805 - Här	ter)				
Skin corrosion/irritation:					Irritant
Skin corrosion/irritation:			Rabbit	OECD 404 (Acute Dermal Irritation/Corrosi on)	Mild irritant
Skin corrosion/irritation:			Rabbit	OECD 404 (Acute Dermal Irritation/Corrosi on)	Irritant
Serious eye damage/irritation:					Irritant
Serious eye damage/irritation:			Rabbit	OECD 405 (Acute Eye Irritation/Corrosi on)	Not irritant
Serious eye damage/irritation:			Rabbit	OECD 405 (Acute Eye Irritation/Corrosi on)	Slightly irritant, Analogous conclusion
Respiratory or skin sensitisation:					Sensitising (inhalation and skin contact)
Germ cell mutagenicity:				OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Carcinogenicity:			Rat	OECD 453 (Combined Chronic Toxicity/Carcino genicity Studies)	Negative
Reproductive toxicity:					Negative
Reproductive toxicity (Developmental toxicity):	NOA EL	12	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	
Reproductive toxicity (Effects on fertility):				OECD 414 (Prenatal Developmental Toxicity Study)	No indications of such an effect.
Specific target organ toxicity - single exposure (STOT-SE):					Irritation of the respiratory tract
Specific target organ toxicity - repeated exposure (STOT-RE):					n.d.a.
Aspiration hazard: Symptoms:					No fever, coughing, headaches, nausea and vomiting, dizziness, breathing difficulties, laryngeal oedema, oedema of the lungs, chemical pneumonitis (condition similar to pneumonia), abdominal pain, diarrhoea

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification)

Toxicity / effect	Endpo	Ti	Val	Unit	Organism	Test	Notes
	int	me	ue			method	
Toxicity to fish:	LC0	96h	>1	mg/l	Brachydanio	OECD 203	
			000		rerio	(Fish,	
						Acute	
						Toxicity	
						Test)	
Toxicity to	EC50	24h	>1	mg/l	Daphnia	OECD 202	
daphnia:			000		magna	(Daphnia	
						sp. Acute	
						Immobilisat	
						ion Test)	
Toxicity to algae:	EC50	72h	>1	mg/l		IUCLID	
			640			Chem.	
						Data Sheet	
						(ESIS)	
Toxicity to algae:	NOEC/	72h	164	mg/l		OECD 201	
	NOEL		0			(Alga,	
						Growth	
						Inhibition	
						Test)	
Persistence and		28d	0	%		OECD 302	Not biodegradab
degradability:						C (Inherent	_
						Biodegrada	
						bility -	
						Modified	
						MITI Test	
						(II))	
Bioaccumulative							n.d.a.
potential:							
Mobility in soil:							n.d.a.
Results of PBT							No PBT substance
and vPvB							
assessment							
Other adverse							n.d.a.
effects:							

Toxicity to	EC50	3h	>1	mg/l	activated	OECD 209
bacteria:			00	-	sludge	(Activated
						Sludge,
						Respiration
						Inhibition
						Test
						(Carbon
						and
						Ammonium
						Oxidation))
Other	BOD	28d	<1	%		OECD 302
information:	l pop	200	0	/0		C (Inherent
IIIIOIIIIalioii.			U			Biodegrada
						bility -
						Modified
1						MITI Test
						(II))

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

The waste codes are recommendations based on the scheduled use of this product

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

allocated under certain circumstances. (2014/955/EU)

80 40 40 9 waste adhesives and sealants containing organic solvents or other hazardous substances

80 50 1 waste isocyanates

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.
Hardened product:
E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance. 15 01 10 packaging containing residues of or contaminated by hazardous substances

## **SECTION 14: Transport information**

## **General statements**

n.a. Transport by road/by rail (ADR/RID)

UN proper shipping name: Transport hazard class(es): n.a. Packing group: Classification code n.a. n.a.

LQ (ADR 2015): Environmental hazards: Tunnel restriction code: Not applicable

Transport by sea (IMDG-code)
UN proper shipping name:
Transport hazard class(es): n.a. Packing group: Marine Pollutant: Environmental hazards Not applicable

Transport by air (IATA)
UN proper shipping name:
Transport hazard class(es):
Packing group: Packing group: Environmental hazards: n.a.

Not applicable Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed

Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2. Observe restrictions:

Comply with trade association/occupational health regulations.
Observe youth employment law (German regulation).
Observe law on protection of expectant mothers (German regulation).
Regulation (EC) No 1907/2006, Annex XVII

Diphenylmethanediisocyanate, isomeres and homologues Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

### No chemical safety assessment was carried out.

## **SECTION 16: Other information**

Revised sections:

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Employee instruction virtualing in handling nazaroous materials is required.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H331 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.

Acute Tox. — Acute toxicity - inhalation

Route tox. — Route Colorly Inflatation

STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

Skin Irrit. — Skin irritation

Skin Irrit. — Skii Immanu.
Resp. Sens. — Respiratory sensitization
Skin Sens. — Skin sensitization
STOT RE — Specific target organ toxicity - repeated exposure

Carc. — Carcinogenicity



GB — Page 4 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 24.07.2015 / 0003 Replaces revision of / Version: 21.11.2013 / 0002 Valid from: 24.07.2015

PDF print date: 24.07.2015 COSMO PU-265.120

(COSMOPUR 805 - Härter)

## Any abbreviations and acronyms used in this document:

AC Article Categories
acc., acc. to according, according to
ACGIH Accord européen relatif au transport international des marchandises Dangereuses par Route (=
European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level
AOX Adsorbable organic halogen compounds approx.
Art, Art. no.Article number
ATE Acute Toxicing To

.Antice runnicer
Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)
Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and BAM

Testing, G

rmany)
Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational He

and Safety, Germany)
BCF Bioconcentration factor

BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)

Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) Biological monitoring guidance value (EH40, UK) Biochemical oxygen demand Bromine Science and Environmental Forum BHT BMGV

BOD BSEF

body weight

CAS Chemical Abstracts Service

CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants

and Othe

Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques

CESIO CIPAC CLP

Collaborative International Pesticides Analytical Council Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification,

CLP Classification, Labelling and Packaging (REGULabelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
COD Chemical oxygen demand
CTFA Cosmetic, Toiletry, and Fragrance Association
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level

DOC

Dissolved organic carbon
Dwell Time - 50% reduction of start concentration
Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for ad Allied Processes)

DT50 DVS Welding ar

dw dry weight

for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC

European Community
European Chemicals Agency
European Economic Area
European Economic Community ECHA EEA EEC

European Inventory of Existing Commercial Chemical Substances
European List of Notified Chemical Substances
European Norms
United States Environmental Protection Agency (United States of America) **EINECS** 

ELINCS

EN EPA ERC

Environmental Release Categories ES Exposure scenario

etc. EU EWC Fax. et cetera
European Union
European Waste Catalogue
Fax number

gen. GHS

general Globally Harmonized System of Classification and Labelling of Chemicals

Globally Harmonized System of Classification Global warming potential Hen's Egg Test - Chorionallantoic Membrane Halocarbon Global Warming Potential International Agency for Research on Cancer International Air Transport Association Intermediate Bulk Container GWP HET-CAM HGWP IARC IATA IBC IBC (Code)

International Bulk Chemical (Code)
Inhibitory concentration
International Maritime Code for Dangerous Goods IMDG-code incl. IUCLID including, inclusive International Uniform ChemicaL Information Database

lethal concentration

LC50 LCLo LD LD50 lethal concentration 50 percent kill lowest published lethal concentration Lethal Dose of a chemical Lethal Dose, 50% kill

LDLo Lethal Dose Low

Lowest Observed Adverse Effect Level Lowest Observed Effect Concentration Lowest Observed Effect Level Limited Quantities LOAFI LOFC

LOEL

LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. n.av. n.c. n.d.a. NIOSH NOAEC not applicable not available not checked no data available

National Institute of Occupational Safety and Health (United States of America)

National Institute of Occupational Safety and Health (United No Observed Adverse Effective Concentration No Observed Adverse Effect Level No Observed Effect Concentration No Observed Effect Level Ozone Depletion Potential Organisation for Economic Co-operation and Development NOAFI NOEC NOEL

ODP OECD

org. PAH PBT PC organic polycyclic aromatic hydrocarbon persistent, bioaccumulative and toxic Chemical product category

PΕ Polyethylene Predicted No Effect Concentration

PNEC POCP Photochemical ozone creation potential

parts per million Process category Polytetrafluorethylene

Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No REACH

1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS
No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
SADT Self-Accelerating Decomposition Temperature
SAR Structure Activity Relationship

SU SVHC

Sector of use Substances of Very High Concern Tel. Telephone

ThOD

Telephone
Theoretical oxygen demand
Total organic carbon
Technische Regelen für Gefahrstoffe (=Technical Regulations for Hazardous Substances)
United Nations Recommendations on the Transport of Dangerous Goods
Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) TOC TRGS UN RTDG

VbF VOC Volatile organic compounds

VOC Volatile organic compounds
VPVB very persistent and very bioaccumulative
WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA
(= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure
limit (15-minute reference period) (EH40, UK).
WHO World Health Organization

wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.