

Printing date 14.12.2015

Version number 9

Revision: 14.12.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Dekaseal 8936

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Sealant

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Dekalin, brand of Diffutherm B.V. Smaragdweg 50 NL-5527 LB Hapert Tel: +31 497 551 080 Fax: +31 497 551 088 E-mail: info@dekalin.nl

 Further information obtainable from: Product safety Department
1.4 Emergency telephone number: National Poisons Information Center (NVIC) TEL:+31 (0)30-2748888 Only for the purpose of informing medical personnel in cases of acute intoxications

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard statements

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

- P243 Take precautionary measures against static discharge.
- P280 Wear protective gloves / protective clothing.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P362 Take off contaminated clothing and wash before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment

• *PBT:* Not applicable. • *vPvB:* Not applicable.

CD



Printing date 14.12.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 9

Revision: 14.12.2015

Trade name: Dekaseal 8936

(Contd. of page 1)

10-<25%

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with additions.

· Dangerous components:

CAS: 64742-49-0	Naphtha (petroleum), hydrotreated light
EC number: 921-024-6	🚸 Flam. Liq. 2, H225; 🚸 Asp. Tox. 1, H304; 🚯 Aquatic Chronic 2,
	H411; 🚯 Skin Irrit. 2, H315; STOT SE 3, H336

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Avoid contact with skin, eves and clothes.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)



Printing date 14.12.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 9

Revision: 14.12.2015

Trade name: Dekaseal 8936

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about fire and explosion protection:
- *Keep ignition sources away Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7727-43-7 Barium sulphate, natural

WEL Long-term value: $10*4**mg/m^3$

*inhalable dust **respirable dust

CAS: 546-93-0 Magnesium carbonate

WEL Long-term value: 10* 4** mg/m³

**inhalable dust **respirable dust*

· Regulatory information WEL: EH40/2011

· DNELs

CAS: 64742-49-0 Naphtha (petroleum), hydrotreated light

Oral	Long-term - systemic effects, general population	699 mg/kg bw/day (General Population)
Dermal	Long-term - systemic effects, worker	773 mg/kg bw/day (Worker)
	Long-term - systemic effects, general population	699 mg/kg bw/day (General population)
Inhalative	Long-term - systemic effects, worker	2035 mg/m3 (Worker)
	Long-term - systemic effects, general population	608 mg/m3 (General Population)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid close or long term contact with the skin.

Avoid contact with the eyes and skin.

• **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

• Protection of hands:



Protective gloves

• Material of gloves

(Contd. on page 4)

GB



Printing date 14.12.2015

Version number 9

Revision: 14.12.2015

Trade name: Dekaseal 8936

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber

Recommended thickness of the material: $\geq 0,12 \text{ mm}$

· Penetration time of glove material

> 480 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Not required.

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical an • General Information	d chemical properties	
· Appearance:	Dects	
Form: Colour:	Pasty Dark grey	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value At 20 °C:	7.0	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
01 0 0		
· Flash point:	> 70 °C (DIN 53213)	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	$> 200 \ ^{\circ}C$	
• Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	0.6 Vol %	
Upper:	7.0 Vol %	
· Vapour pressure At 20 •C:	61 hPa	
• Vapour pressure At 50 °C:	231 hPa	
Density At 20 °C:	1.315 g/cm³ (DIN 51757)	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octanol/water	·): Not determined.	
· Viscosity:		
Dynamic At 20 °C:	5200 mPas	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	12.4 %	
		(Contd. on page 5)
		G



Printing date 14.12.2015

Version number 9

Revision: 14.12.2015

Trade name: Dekaseal 8936

		(Contd. of page 4)
Water:	0.1 %	
Solids content: • 9.2 Other information • VOC (EU): • VOCV:	87.4 % (DIN 53216) No further relevant information available. 0.00 % 0.00 %	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

 \cdot 10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 64742-49-0 Naphtha (petroleum), hydrotreated light

Oral LD50 >5840 mg/kg (RAT)

Dermal LD50 >2920 mg/kg (RABBIT)

Inhalative LC50/4 h > 25.2 mg/l (RAT)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information: No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity	
-----------------	--

• Aquatic toxicity:

CAS: 64742-49-0 Naphtha (petroleum), hydrotreated light

LL50/96 h 11.4 mg/l (SALMO GAIRDNERI / ONCORHYNCHUS MYKISS)

EC50/48 h 10 mg/l (*PHAEOPHYTA*)

EL50/48 h 3 mg/l (DAPHNIA MAGNA)

EL50/72 h 30-100 mg/l (SELENASTRUM CAPRICORNUTUM)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB



Printing date 14.12.2015

Version number 9

Revision: 14.12.2015

(Contd. of page 5)

Trade name: Dekaseal 8936

- Ecotoxical effects:
- Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Harmful to aquatic organisms
- 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- \cdot 12.6 Other adverse effects No further relevant information available.
- **SECTION 13: Disposal considerations**
- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of as dangerous waste.

· European waste catalogue

08 04 09*waste adhesives and sealants containing organic solvents or other hazardous substancesHP 14Ecotoxic

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	p n
14.1 UN-Number ADR,RID,ADN, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR,RID,ADN, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR,RID,ADN, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR,RID,ADN, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex Marpol and the IBC Code	t II of Not applicable.
Transport/Additional information:	Tansport classification ADR/IMGD is based on packagin, >30ltr(IMDG), <450ltr(ADR). For other packaging untis different classification ca apply.
UN ''Model Regulation'':	Void

(Contd. on page 7)

GB



Printing date 14.12.2015

Version number 9

Revision: 14.12.2015

Trade name: Dekaseal 8936

(Contd. of page 6)

SECTION 15: Regulatory information · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms · Signal word Warning · Hazard statements H315 Causes skin irritation. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P243 Take precautionary measures against static discharge. P280 Wear protective gloves / protective clothing. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. • Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t · National regulations: • Technical instructions (air): Class Share in % Wasser 0.1 NK 12.5 · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. · Department issuing MSDS: Product safety department. • *Contact:* info@dekalin.nl · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 8)



Version number 9

Revision: 14.12.2015

Trade name: Dekaseal 8936

Printing date 14.12.2015

(Con EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3	d. of page 7)
---	---------------