

according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DINITROL 840 Skimfix Rapide Part A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants, Curing agent

1.3. Details of the supplier of the safety data sheet

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone: Responsible Department:	+49 (0) 5281 9829 80 msds@dinol.com	Telefax: +49 (0) 5281 9829 860
1.4. Emergency telephone number:	Giftnotruf Berlin: +49 30 30686 790	0 (Consultation in German and English)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1 Carcinogenicity: Carc. 2 Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - repeated exposure: STOT RE 2 Hazard Statements: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazardous components which must be listed on the label

Diphenylmethanediisocyanate, isomers and homologues

diphenylmethane-4,4'-diisocyanate

o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate

2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate

Signal word: Pictograms:

Danger





according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Product code: 80840

Page 2 of 15

Hazard statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
Precautionary statemen	ts
P260	Do not breathe vapour.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye/face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a
	position comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
Special labelling of certa	ain mixtures
EUH204	Contains isocyanates. May produce an allergic reaction.

2.3. Other hazards

health hazards: Persons already sensitised to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 3 of 15

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regulat	•		
9016-87-9	Diphenylmethanediisocyanate, isor	mers and homologues		30 -< 70 %
		615-005-01-6		
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, I 2; H351 H332 H315 H319 H334 H3	Eye Irrit. 2, Resp. Sens. 1, Skin Sens 317 H335 H373	. 1, STOT SE 3, STOT RE	
101-68-8	diphenylmethane-4,4'-diisocyanate			20 -< 30 %
	202-966-0	615-005-00-9	01-2119457014-47	
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, I 2; H351 H332 H315 H319 H334 H3	Eye Irrit. 2, Resp. Sens. 1, Skin Sens 317 H335 H373	. 1, STOT SE 3, STOT RE	
5873-54-1	o-(p-isocyanatobenzyl)phenyl isocy	anate	10 -< 25 %	
	227-534-9	615-005-00-9	01-2119480143-45	
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, I 2; H351 H332 H315 H319 H334 H3	. 1, STOT SE 3, STOT RE		
2536-05-2	2,2'-methylenediphenyl diisocyana	e	1 -< 5 %	
	219-799-4	615-005-00-9	01-2119927323-43	
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, I 2; H351 H332 H315 H319 H334 H3	. 1, STOT SE 3, STOT RE		
2530-83-8	3-Glycidoxypropyltrimethoxysilane		1 -< 3 %	
	219-784-2		01-2119513212-58	
	Eye Dam. 1; H318			
99-63-8	Isophthaloyl chloride		0,1 -< 0,2 %	
	202-774-7	01-2119493993-19		
	Acute Tox. 3, Acute Tox. 4, Skin Co	4 H318		

Full text of H and EUH statements: see section 16.

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of troubles or persistent symptoms, consult an ophthalmologist.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 4 of 15

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Sand

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) Formation of: Pyrolysis products, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear personal protection equipment. Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 5 of 15

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Water, Oxidising agent. Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. storage temperature: $<0^{\circ}C - < 50^{\circ}C$.

7.3. Specific end use(s)

Adhesives, sealants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Isocyanates, all (as -NCO) Except methyl isocyanate	-	0.02		TWA (8 h)	WEL
		-	0.07		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 6 of 15

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
101-68-8	diphenylmethane-4,4'-diisocyanate	•	•	•
Worker DNEL	, long-term	inhalation	local	0,05 mg/m³
Worker DNEL	, acute	inhalation	local	0,10 mg/m ³
Consumer DN	IEL, long-term	inhalation	local	0,025 mg/m³
Consumer DN	IEL, acute	inhalation	local	0,05 mg/m³
5873-54-1	o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethan	e-2,4'-diisocyanate		•
Worker DNEL	, long-term	inhalation	systemic	0,05 mg/m³
Worker DNEL	, acute	inhalation	systemic	0,10 mg/m ³
Worker DNEL	, long-term	inhalation	local	0,05 mg/m³
Worker DNEL	, acute	inhalation	local	0,10 mg/m ³
Worker DNEL	, acute	dermal	systemic	50,0 mg/kg bw/day
Worker DNEL	, acute	dermal	local	28,7 mg/person/day
Consumer DN	IEL, long-term	inhalation	systemic	0,025 mg/m ³
Consumer DN	IEL, acute	inhalation	systemic	0,05 mg/m³
Consumer DN	IEL, long-term	inhalation	local	0,025 mg/m³
Consumer DN	IEL, acute	inhalation	local	0,05 mg/m³
Consumer DN	IEL, acute	dermal	systemic	25,0 mg/kg bw/day
Consumer DN	IEL, acute	dermal	local	17,2 mg/person/day
Consumer DN	IEL, acute	oral	systemic	20,0 mg/kg bw/day
2536-05-2	2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2	'-diisocyanate		
Worker DNEL	, long-term	inhalation	systemic	0,05 mg/m³
Worker DNEL	, acute	inhalation	systemic	0,10 mg/m ³
Worker DNEL	, long-term	inhalation	local	0,05 mg/m³
Worker DNEL	, acute	inhalation	local	0,10 mg/m ³
Worker DNEL	, acute	dermal	systemic	50,0 mg/kg bw/day
Worker DNEL	, acute	dermal	local	28,7 mg/person/day
Consumer DN	IEL, long-term	inhalation	systemic	0,025 mg/m³
Consumer DN	IEL, acute	inhalation	systemic	0,05 mg/m³
Consumer DN	IEL, long-term	inhalation	local	0,025 mg/m³
Consumer DN	IEL, acute	inhalation	local	0,05 mg/m³
Consumer DN	IEL, acute	dermal	systemic	25,0 mg/kg bw/day
Consumer DN	IEL, acute	dermal	local	17,2 mg/person/day



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.	10.2015	Product code	e: 80840		Page 7 of 15
Consumer DN	EL, acute		oral	systemic	20,0 mg/kg bw/day
2530-83-8	3-Glycidoxypropyltrimethoxysilane		•		
Worker DNEL,	long-term		inhalation	systemic	147 mg/m³
Worker DNEL,	long-term		dermal	systemic	21 mg/kg bw/day
Consumer DNI	EL, long-term		inhalation	systemic	43,5 mg/m³
Consumer DNI	EL, long-term		dermal	systemic	12,5 mg/kg bw/day
Consumer DNI	EL, long-term		oral	systemic	12,5 mg/kg bw/day
99-63-8	Isophthaloyl chloride		•	•	
Worker DNEL,	long-term		inhalation	systemic	3,94 mg/m ³
Worker DNEL,	long-term		dermal	systemic	4,47 mg/kg bw/day
Consumer DN	EL, long-term		inhalation	systemic	0,97 mg/m³
Consumer DNI	EL, long-term		dermal	systemic	2,24 mg/kg bw/day
Consumer DNI	EL, long-term		oral	systemic	2,24 mg/kg bw/day



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 8 of 15

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
101-68-8	diphenylmethane-4,4'-diisocyanate	
Freshwater		1,0 mg/l
Marine water		0,1 mg/l
Micro-organis	sms in sewage treatment plants (STP)	1,0 mg/l
Soil		1,0 mg/kg
5873-54-1	o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate	
Freshwater		1,0 mg/l
Marine water		0,1 mg/l
Micro-organis	sms in sewage treatment plants (STP)	1,0 mg/l
Soil		1,0 mg/kg
2536-05-2	2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate	
Freshwater	•	1,0 mg/l
Marine water		0,1 mg/l
Micro-organisms in sewage treatment plants (STP)		1,0 mg/l
Soil		1,0 mg/kg
2530-83-8	3-Glycidoxypropyltrimethoxysilane	
Freshwater	•	1,0 mg/l
Marine water		0,1 mg/l
Freshwater s	ediment	3,6 mg/kg
Marine sedim	nent	0,36 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	10 mg/l
Soil		0,14 mg/kg
99-63-8	Isophthaloyl chloride	
Freshwater		0,133 mg/l
Marine sedim	nent	0,06365 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	6,171 mg/l
Soil		0,0492 mg/kg
Marine water		0,0133 mg/l
Freshwater s	ediment	0,6365 mg/kg

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 9 of 15

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Protective and hygiene measures

Avoid contact with skin and eyes. Keep away from food, drink and animal feedingstuffs. When using do not eat, drink or smoke. Protect skin by using skin protective cream. Take off contaminated clothing and wash it before reuse. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

Eye glasses with side protection (DIN EN 166)

Hand protection

Tested protective gloves must be worn (DIN EN 374): NBR (Nitrile rubber), Breakthrough time (maximum wearing time): 480 min. Butyl caoutchouc (butyl rubber), Breakthrough time (maximum wearing time): 480 min. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protective gloves have to be replaced at the first sign of deterioration. Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. gas filtering equipment (EN 141)., Filter material/medium: A/P2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid brown	
Odour:	characteristic	
		Test method
pH-Value:	not applicable	
Changes in the physical state		
Melting point:	< 0 °C	
Initial boiling point and boiling range:	> 300 °C	
Flash point:	< 200 °C	
Flammability Solid:	> 500 °C	
Gas:	not applicable	
Explosive properties not determined		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Ignition temperature:	not determined	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A						
Print date: 13.10.2015	Product code: 80840	Page 10 of 15				
Oxidizing properties Not oxidizing.						
Vapour pressure: (at 25 °C)	< 0,00001 hPa					
Density (at 20 °C):	1,17 g/cm³					
Water solubility:	insoluble					
Solubility in other solvents not determined						
Partition coefficient:	not determined					
Viscosity / dynamic: (at 23 °C)	ca. 8000 mPa⋅s					
Vapour density:	not determined					
Evaporation rate:	not determined					
9.2. Other information						

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : Water, Alcohol, amines.

10.4. Conditions to avoid

Keep away from heat. Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.5. Incompatible materials

Keep away from: Radical former, Peroxide, Reducing agent.

10.6. Hazardous decomposition products

Hydrogen cyanide (hydrocyanic acid). Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (inhalative vapour) 11,45 mg/l; ATE (inhalative aerosol) 1,565 mg/l



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 11 of 15

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
9016-87-9	Diphenylmethanediisocyanate, isomers and homologues						
	oral	LD50	>10000 mg/kg	Rat			
	dermal	LD50	>9400 mg/kg	Rabbit			
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				
101-68-8	diphenylmethane-4,4'-diisocyana	te					
	oral	LD50	>2000 mg/kg	Rat			
	dermal	LD50	>9400 mg/kg	Rabbit			
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				
5873-54-1	o-(p-isocyanatobenzyl)phenyl iso	cyanate; diph	enylmethane-2,4'-c	diisocyanate			
	oral	LD50	>2000 mg/kg	Rat			
	dermal	LD50	>9400 mg/kg	Rabbit			
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				
2536-05-2	2,2'-methylenediphenyl diisocyan	ate; diphenylr	methane-2,2'-diisoo	cyanate			
	oral	LD50	>2000 mg/kg	Rat			
	dermal	LD50	>9400 mg/kg	Rabbit			
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				
2530-83-8	3-Glycidoxypropyltrimethoxysilan	e		_			
	oral	LD50	8025 mg/kg	Rat			
	dermal	LD50	4250 mg/kg	Rabbit			
	inhalative (4 h) vapour	LC50	>5300 mg/l	Rat			
99-63-8	Isophthaloyl chloride						
	oral	LD50	2200 mg/kg	Rat	GESTIS		
	dermal	ATE	1100 mg/kg		GESTIS		
	inhalative vapour	ATE	3 mg/l				
	inhalative (4 h) aerosol	LC50	0,7 mg/l	Rat			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (Diphenylmethanediisocyanate, isomers and homologues),

(diphenylmethane-4,4'-diisocyanate), (o-(p-isocyanatobenzyl)phenyl isocyanate;

diphenylmethane-2,4'-diisocyanate), (2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate) May cause allergy or asthma symptoms or breathing difficulties if inhaled. (Diphenylmethanediisocyanate, isomers and homologues), (diphenylmethane-4,4'-diisocyanate), (o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate), (2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate)

STOT-single exposure



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 12 of 15

May cause respiratory irritation. (Diphenylmethanediisocyanate, isomers and homologues), (diphenylmethane-4,4'-diisocyanate), (o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate), (2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate)

Severe effects after repeated or prolonged exposure

May cause damage to organs through prolonged or repeated exposure. (Diphenylmethanediisocyanate, isomers and homologues), (diphenylmethane-4,4'-diisocyanate), (o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'-diisocyanate), (2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Diphenylmethanediisocyanate, isomers and homologues),

(diphenylmethane-4,4'-diisocyanate), (o-(p-isocyanatobenzyl)phenyl isocyanate;

diphenylmethane-2,4'-diisocyanate), (2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source	
9016-87-9	Diphenylmethanediisocyanate, isomers and homologues						
	Acute fish toxicity	LC50	>1000 mg/l	96 h	Cyprinus carpio (Common Carp)		
	Acute bacteria toxicity	(>100 m	g/l)	3 h			
101-68-8	diphenylmethane-4,4'-diisocy	/anate					
	Acute fish toxicity	LC50	>1000 mg/l	96 h	Brachydanio rerio (zebra-fish)		
	Acute algae toxicity	ErC50	>1640 mg/l	72 h	Scenedesmus subspicatus		
	Crustacea toxicity	NOEC	>10 mg/l	21 d	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(>100 m	g/l)	3 h			
5873-54-1	o-(p-isocyanatobenzyl)pheny	I isocyanate; c	liphenylmethane	2,4'-diisoo	cyanate		
	Acute fish toxicity	LC50	55 mg/l	96 h	Cyprinus carpio (Common Carp)		
2536-05-2	2,2'-methylenediphenyl diiso	cyanate; diphe	nylmethane-2,2'-	diisocyana	ate		
	Acute fish toxicity	LC50	>1000 mg/l	96 h	Brachydanio rerio (zebra-fish)		
	Acute algae toxicity	ErC50	>1640 mg/l	72 h	Scenedesmus subspicatus		
2530-83-8	3-Glycidoxypropyltrimethoxy	silane					
	Acute fish toxicity	LC50	55 mg/l	96 h	Cyprinus carpio (Common Carp)		
99-63-8	Isophthaloyl chloride						
	Acute fish toxicity	LC50	134 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute crustacea toxicity	EC50	> 952 mg/l		Daphnia magna (Big water flea)		

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 13 of 15

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	•		•
101-68-8	diphenylmethane-4,4'-diisocyanate			
	OECD 302 C	0%	28	
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2530-83-8	3-Glycidoxypropyltrimethoxysilane	0,5
BCF		

CAS No	Chemical name	BCF	Species	Source
9016-87-9	Diphenylmethanediisocyanate, isomers and homologues	<14		42d, OECD 305C
101-68-8	diphenylmethane-4,4'-diisocyanate		Cyprinus carpio (Common Carp)	

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Do not mix with other wastes. List of proposed waste codes/waste designations in accordance with EWC:

Waste disposal number of waste from residues/unused products

080501 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes not otherwise specified in 08; waste isocyanates Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances

Classified as hazardous waste.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A

Print date: 13.10.2015

Product code: 80840

Page 14 of 15

SECTION 14: Transport information

Land transport (ADR/RID)							
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.						
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.						
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.						
14.4. Packing group:	No dangerous good in sense of this transport regulation.						
Marine transport (IMDG)							
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.						
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.						
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.						
14.4. Packing group:	No dangerous good in sense of this transport regulation.						
Air transport (ICAO)							
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.						
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.						
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.						
14.4. Packing group:	No dangerous good in sense of this transport regulation.						
14.5. Environmental hazards							
ENVIRONMENTALLY HAZARDOUS:	no						
14.6. Special precautions for user No information available.							
14.7. Transport in bulk according to Annex II not applicable	of MARPOL73/78 and the IBC Code						
SECTION 15: Regulatory information							
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture							
EU regulatory information							
Additional information							
Observe in addition any national regulations! Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work							
National regulatory information							
Employment restrictions:	Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.						
Water contaminating class (D): Skin resorption/Sensitization:	1 - slightly water contaminating Causes allergic hypersensitivity reactions.						
Skin resorption/Sensitization: 15.2. Chemical safety assessment							

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals



according to Regulation (EC) No 1907/2006

DINITROL 840 Skimfix Rapide Part A Print date: 13.10.2015 Product code: 80840 Page 15 of 15 EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text) H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. Toxic if inhaled. H331 Harmful if inhaled. H332 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. EUH204 Contains isocyanates. May produce an allergic reaction. **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)