

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Diamant 7000 Medium Cut

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Abrasive

## Uses advised against

Reserved for industrial and professional use.

# 1.3. Details of the supplier of the safety data sheet

Company name: POLYTOP GmbH
Street: Langenselbolder Str. 8
Place: D-63543 Neuberg

Telephone: +49-6183-80014-0 Telefax: +49-6183-80014-14

e-mail (Contact person): info@polytop.de Internet: www.polytop.de

Responsible Department: Zentrale Tel. +49-6183-80014-0

**1.4. Emergency telephone** Vergiftungsinformationszentrale Österreich Tel. +43 (0) 1 406 43 43

number:

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

## 2.2. Label elements

### Regulation (EC) No. 1272/2008

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

No risks worthy of mention.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

see below Labelling for contents according to regulation (EC) No. 648/2004, Additional information: Abrasive, Paraffinum Liquidum, thickeners



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 2 of 8

### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regulati	on (EC) No. 1272/2008 [CLP]	•	
64742-48-9	hydrocarbons, C10-C13, n-alkanes	, iso-alkanes, cyclic, < 2% aromatics	(<0,1% benzene)	15 - < 20 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			
8042-47-5	Paraffinum Liquidum		10 - < 15 %	
			01-2119487078-27	
	Asp. Tox. 1; H304		•	
2682-20-4	2-Methyl-(2H)-isothiazol-3-on		<0,01 %	
	220-239-6			
	Acute Tox. 2, Acute Tox. 3, Skin Co Chronic 2; H330 H301 H314 H318	uatic Acute 1, Aquatic		
26530-20-1	octhilinone (ISO); 2-octyl-2H-isothia		<0,005 %	
	247-761-7	613-112-00-5		
	Acute Tox. 3, Acute Tox. 3, Acute To Chronic 1; H331 H311 H302 H314	ox. 4, Skin Corr. 1B, Skin Sens. 1, Ad H317 H400 H410	quatic Acute 1, Aquatic	
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-b		<0,005 %	
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H400	302 H315 H318 H317		

Full text of H and EUH statements: see section 16.

## Labelling for contents according to Regulation (EC) No 648/2004

15 % - 30 % aliphatic hydrocarbons, < 5 % non-ionic surfactants, < 5 % anionic surfactants, preservation agents (Methylisothiazolinone, Octylisothiazolinone, Benzisothiazolinone).

### **Further Information**

viscosity, kinematic: >20,5 mm2/s (40°C).

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Wash hands before breaks and after work.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Do NOT induce vomiting.

Have victim drink large quantities of water, with active charcoal if possible.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 3 of 8

#### 4.3. Indication of any immediate medical attention and special treatment needed

Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

The vapours are heavier than air and can accumulate in high concentrations on the ground, in cavities, channels and cellars.

#### 5.3. Advice for firefighters

No special fire protection measures are necessary.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product.

Provide adequate ventilation.

### 6.2. Environmental precautions

Product may not be released into water without pre-treatment.

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

SECTION 12: Ecological information

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas.

### Advice on protection against fire and explosion

No special measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

No special measures are necessary.

## Advice on storage compatibility

No special measures are necessary.

### Further information on storage conditions

Protect against: frost. storage temperature: of °C: 0 up to °C: 30

### 7.3. Specific end use(s)

Abrasive

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 4 of 8

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1344-28-1	Aluminium oxides, respirable dust	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Protective and hygiene measures

No special measures are necessary.

Wash hands before breaks and after work.

Eye/face protection

Eye protection: not required.

Hand protection

Hand protection: not required.

Skin protection

Body protection: not required.

Respiratory protection

Respiratory protection not required.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: viscous Colour: white

Odour: aliphatic hydrocarbons

Test method

pH-Value (at 20 °C): 7,5-8,5

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range:  $100-220^{*}\,^{\circ}\text{C}$  Flash point:  $70\,^{\circ}\text{C}$ 

**Explosive properties** 

In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits: 0,6 vol. %
Upper explosion limits: 8 vol. %
Ignition temperature: >200 °C

**Oxidizing properties** 

not oxidizing.

Vapour pressure: 24 hPa

(at 20 °C)

Density: 1,04 g/cm³
Water solubility: partially miscible
Viscosity / dynamic: 7000-10000 mPa·s

(at 20 °C)

Viscosity / kinematic: >20,5 mm²/s

(at 40 °C)

Solvent content: 15%



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 5 of 8

### 9.2. Other information

\* aliphatic hydrocarbons boiling temperature / boiling range 180-220°C

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No risks worthy of mention.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No risks worthy of mention.

### 10.4. Conditions to avoid

No risks worthy of mention.

## 10.5. Incompatible materials

none

# 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)				
	oral	LD50	>5000 mg/kg	rat	
	dermal	LD50	>5000 mg/kg	rbt	
	inhalative (4 h) vapour	LC50	>5 mg/l	rat	
8042-47-5	Paraffinum Liquidum				
	oral	LD50	>5000 mg/kg	Rat	OECD 401
	dermal	LD50	>2000 mg/kg	Rabbit	OECD 402
	inhalative (4 h) vapour	LC50	>5000 mg/l	Rat	OECD 403
2682-20-4	2-Methyl-(2H)-isothiazol-3-on				
	oral	ATE	100 mg/kg		
26530-20-1	octhilinone (ISO); 2-octyl-2H-isothiazol-3-one				
	oral	ATE	500 mg/kg		
	dermal	ATE	300 mg/kg		
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one				
	oral	ATE	500 mg/kg		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 6 of 8

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **Practical experience**

### Other observations

Has de-greasing effect on the skin.

After cleaning apply high-fat content skin care cream.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source			
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% aromatics (<0,1% benzene)								
	Acute fish toxicity	LC50	>1000 mg/l	96 h	Oncorhynchus mykiss				
	Acute algae toxicity	ErC50	>1000 mg/l	72 h	Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50	>1000 mg/l	48 h	Daphnia magna				
8042-47-5	Paraffinum Liquidum								
	Acute fish toxicity	LC50	>1000 mg/l	96 h	Leuciscus idus	OECD 203			
	Acute algae toxicity	ErC50 mg/l	NOEL >100	72 h	Pseudokirchnerella subcapitata	OECD 201			
·	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna	OECD 202			

# 12.2. Persistence and degradability

Organic part of product is bio-degradable.

(Solvent.: Abiotic degradation in Air )

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in

Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, < 2% arc	omatics (<0,1% benzene)		
		80%	28	
	Easily biodegradable (concerning to the criteria of the OECD)			

### 12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No risks worthy of mention.

### **Further information**

Doesn't get into the sewage water as long as the process is carried out according to regulations.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 7 of 8

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

#### Waste disposal number of waste from residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

#### Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

## Contaminated packaging

Water with tenside additive.

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Air transport (ICAO)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No special measures are necessary.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

2004/42/EC (VOC): Volatile organic compounds (VOC) in percentage by weight: 15

# **Additional information**

648/2004: chapter 3 chemical characterization (mixture) Safety data sheet available for professional user on request.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **Diamant 7000 Medium Cut**

Print date: 16.03.2016 Page 8 of 8

### **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment is not required.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 3.

# Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects. **EUH066** 

Repeated exposure may cause skin dryness or cracking.

EUH210 Safety data sheet available on request.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)