

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Diamant SF

Print date: 16.03.2016 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diamant SF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Car Polish

Uses advised against

Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

Company name: POLYTOP GmbH
Street: Langenselbolder Str. 8
Place: D-63543 Neuberg

Telephone: +49-6183-80014-0 Telefax: +49-6183-80014-14

e-mail (Contact person): info@polytop.de Internet: www.polytop.de

Responsible Department: Zentrale Tel. +49-6183-80014-0

1.4. Emergency telephone Vergiftungsinformationszentrale Österreich Tel. +43 (0) 1 406 43 43

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No risks worthy of mention.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

EU 648/2004: non-ionic surfactants <5%, Preservatives. (Methylisothiazolinone, Benzisothiazolinone, Octylisothiazolinone), Additional information: polishing agents, thickeners



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Diamant SF

Print date: 16.03.2016 Page 2 of 7

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
8042-47-5	Paraffinum Liquidum			10 - < 15 %		
			01-2119487078-27			
	Asp. Tox. 1; H304					
26530-20-1	octhilinone (ISO); 2-oct	<0,005 %				
	247-761-7	613-112-00-5				
	Acute Tox. 3, Acute Tox Chronic 1; H331 H311 H					
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			<0,005 %		
	220-120-9	613-088-00-6				
	Acute Tox. 4, Skin Irrit. 1 H400					
2682-20-4	2-Methyl-(2H)-isothiazo	<0,005 %				
	220-239-6					
	Acute Tox. 2, Acute Tox Chronic 2; H330 H301 I					

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - 15 % aliphatic hydrocarbons, preservation agents (Octylisothiazolinone, Benzisothiazolinone, Methylisothiazolinone).

Further Information

viscosity, kinematic: >20,5 mm²/s (40°C)

Identification is not obligatory. Please observe the information on the safety data sheet at all times. The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

not applicable

After contact with skin

No special measures are necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Do NOT induce vomiting.

Have victim drink large quantities of water, with active charcoal if possible.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

SECTION 5: Firefighting measures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Diamant SF

Print date: 16.03.2016 Page 3 of 7

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

No risks worthy of mention.

5.3. Advice for firefighters

No special fire protection measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product.

6.2. Environmental precautions

Product may not be released into water without pre-treatment.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

SECTION 12: Ecological information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

Protect against: frost. storage temperature:

of °C: 0 up to °C: 30

7.3. Specific end use(s)

Automotive care products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

No special measures are necessary.

Wash hands before breaks and after work.

Eye/face protection

Eye protection: not required.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Diamant SF

Print date: 16.03.2016 Page 4 of 7

Hand protection

Hand protection: not required.

Skin protection

Body protection: not required.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: viscous
Colour: light grey
Odour: characteristic

Test method

pH-Value (at 20 °C): 6,5-8,0 (neutral)

Changes in the physical state

Initial boiling point and boiling range: 100 °C Flash point: >170 °C

Lower explosion limits: Upper explosion limits:

Oxidizing properties

not oxidizing.

Vapour pressure: ca. 22 hPa

(at 20 °C)

Density: 1,07 g/cm³
Water solubility: partially miscible (emulsifiable)
Viscosity / dynamic: 1500-2000 mPa·s

(at 20 °C)

Viscosity / kinematic: >20.5 mm²/s

(at 40 °C)

Solvent content: 0%

9.2. Other information

Not combustible.

SECTION 10: Stability and reactivity

10.1. Reactivity

No risks worthy of mention.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No risks worthy of mention.

10.4. Conditions to avoid

No risks worthy of mention.

10.5. Incompatible materials

none



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Diamant SF

Print date: 16.03.2016 Page 5 of 7

10.6. Hazardous decomposition products

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source		
8042-47-5	Paraffinum Liquidum						
	oral	LD50	>5000 mg/kg	Rat	OECD 401		
	dermal	LD50	>2000 mg/kg	Rabbit	OECD 402		
	inhalative (4 h) vapour	LC50	>5000 mg/l	Rat	OECD 403		
26530-20-1	octhilinone (ISO); 2-octyl-2H-isothiazol-3-one						
	oral	ATE	500 mg/kg				
	dermal	ATE	300 mg/kg				
	inhalative vapour	ATE	3 mg/l				
	inhalative aerosol	ATE	0,5 mg/l				
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one						
	oral	ATE	500 mg/kg				
2682-20-4	-Methyl-(2H)-isothiazol-3-on						
	oral	ATE	100 mg/kg				
	inhalative vapour	ATE	0,5 mg/l				
	inhalative aerosol	ATE	0,05 mg/l				

Irritation and corrosivity

Not an irritant.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Diamant SF

Print date: 16.03.2016 Page 6 of 7

CAS No	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source
8042-47-5	Paraffinum Liquidum					
	Acute fish toxicity	LC50	>1000 mg/l	96 h	Leuciscus idus	OECD 203
	Acute algae toxicity	ErC50 mg/l	NOEL >100		Pseudokirchnerella subcapitata	OECD 201
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna	OECD 202

12.2. Persistence and degradability

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No risks worthy of mention.

Further information

Doesn't get into the sewage water as long as the process is carried out according to regulations.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Waste disposal number of waste from residues/unused products

120121

WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent grinding bodies and grinding materials other than those mentioned in 12 01 20

Waste disposal number of contaminated packaging

150102

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Water with tenside additive.

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Air transport (ICAO)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Diamant SF

Print date: 16.03.2016 Page 7 of 7

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special measures are necessary.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): Volatile organic compounds (VOC) in percentage by weight: 0

Additional information

648/2004: chapter 3 chemical characterization (mixture)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,12,15.

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
EUH210 Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)