

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Truck Top Wash (German: LKW-Oberwäsche)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner Concentrate

Uses advised against

Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

Company name:	POLYTOP GmbH	
Street:	Langenselbolder Str. 8	
Place:	D-63543 Neuberg	
Telephone:	+49-6183-80014-0	Telefax: +49-6183-80014-14
e-mail (Contact person):	info@polytop.de	
Internet:	www.polytop.de	
Responsible Department:	Zentrale Tel. +49-6183-80014-0	

1.4. Emergency telephone number:

Vergiftungsinformationszentrale Österreich Tel. +43 (0) 1 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

isotridecanol ethoxylates (>5-20EO), caustic potash, potassium hydroxide, Quaternary ammonium compounds, Coco Alkylbis(2-hydroxyethyl)methyl, Chlorides, ethoxylated

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260	Do not breathe gas/vapour/aerosol.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves and eye/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 2 of 8

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P405 Store locked up.

2.3. Other hazards

Avoid contact with skin and eyes.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

see below Labelling for contents according to regulation (EC) No. 648/2004, Additional information:
 Complexing agent. (GLDA) alkaline, silicates, dye

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
69011-36-5	isotridecanol ethoxylates (>5-20EO)			1-5 %
	Acute Tox. 4, Eye Dam. 1; H302 H318			
51981-21-6	Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate			1-5 %
	257-573-7		01-2119493601-38	
1310-58-3	caustic potash, potassium hydroxide			0,5-2,0 %
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			
61791-10-4	Quaternary ammonium compounds, Coco Alkylbis(2-hydroxyethyl)methyl, Chlorides, ethoxylated			1-5 %
	Eye Dam. 1, Aquatic Chronic 2; H318 H411			
5064-31-3	trisodium nitrilotriacetate			0,1-0,3 %
	225-768-6	607-620-00-6		
	Carc. 2, Acute Tox. 4, Eye Irrit. 2; H351 H302 H319			

Full text of H and EUH statements: see section 16.

Further Information

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
 Trisodium nitrilotriacetate (NTA) is an attend of GLDA.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
 After cleaning apply high-fat content skin care cream.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 3 of 8

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water.

Seek medical advice.

Let water be drunk in little sips (dilution effect).

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Give Dimeticon (Defoamer).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

No special fire protection measures are necessary.

5.3. Advice for firefighters

No special fire protection measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Keep away from unprotected people. Keep upwind.

The following must be prevented:

skin contact.

Eye contact.

6.2. Environmental precautions

Suitable material for diluting or neutralizing:

Water.

6.3. Methods and material for containment and cleaning up

Methods of cleaning - small amounts of spilled material: Dilute with plenty of water.

Methods of cleaning - large amounts of spilled material: Take up mechanically, placing in appropriate containers for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation of aerosol.

Keep container tightly closed.

The following must be prevented:

skin contact.

Eye contact.

Advice on protection against fire and explosion

Not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 4 of 8

Advice on storage compatibility

No special precautionary measures are necessary.

Further information on storage conditions

Recommended storage temperature: up to °C: 30

7.3. Specific end use(s)

Cleaning agent, alkaline

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	-	-	TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Avoid contact with skin and eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Suitable material:

Neopren,

NR (Natural rubber (Caoutchouc), Natural latex).

CR (polychloroprenes, Chloroprene rubber).

NBR (Nitrile rubber).

Skin protection

Body protection: not required.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear greenyellow
Odour:	product-specific

Test method

pH-Value (at 20 °C):	13,3-13,8
----------------------	-----------

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	102 °C

Explosive properties

not Explosive.

Ignition temperature:	>250 °C
-----------------------	---------



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 5 of 8

Oxidizing properties

not oxidizing.

Vapour pressure:
(at 20 °C)

23 hPa

Density:

1,08 g/cm³

Water solubility:

miscible.

Solvent content:

0%

9.2. Other information

Not combustible.

SECTION 10: Stability and reactivity

10.1. Reactivity

No risks worthy of mention.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No risks worthy of mention.

10.4. Conditions to avoid

No risks worthy of mention.

10.5. Incompatible materials

acid, concentrated.

10.6. Hazardous decomposition products

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Preparation not tested.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
69011-36-5	isotridecanol ethoxylates (>5-20EO)			
	oral	LD50 >2000 mg/kg	Rat	
	dermal	LD50 >2000 mg/kg	Rabbit	
51981-21-6	Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate			
	oral	LD50 >2000 mg/kg	Rat	
1310-58-3	caustic potash, potassium hydroxide			
	oral	LD50 273 mg/kg	Rat	RTECS
61791-10-4	Quaternary ammonium compounds, Coco Alkylbis(2-hydroxyethyl)methyl, Chlorides, ethoxylated			
	oral	LD50 >300-<2000 mg/kg	Rat	
5064-31-3	trisodium nitrilotriacetate			
	oral	ATE 500 mg/kg		

Irritation and corrosivity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 6 of 8

Causes serious eye damage.

Causes skin irritation.

Sensitising effects

no danger of sensitization.

Practical experience

Other observations

Has de-greasing effect on the skin.

After cleaning apply high-fat content skin care cream.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
69011-36-5	isotridecanol ethoxylates (>5-20EO)				
	Acute fish toxicity	LC50 >1-10 mg/l	96 h	Cyprinus carpio	OECD TG 203
	Acute algae toxicity	ErC50 >1-10 mg/l	72 h	Scenedesmus subspicatus	OECD TG 201
	Acute crustacea toxicity	EC50 >1-10 mg/l	48 h	Daphnia magna	OECD TG 202
1310-58-3	caustic potash, potassium hydroxide				
	Acute fish toxicity	LC50 80 mg/l	96 h	Gambusia affinis	IUCLID
61791-10-4	Quaternary ammonium compounds, Coco Alkylbis(2-hydroxyethyl)methyl, Chlorides, ethoxylated				
	Acute algae toxicity	ErC50 >0,1-<1 mg/l			
	Acute crustacea toxicity	EC50 >0,1-<1 mg/l	48 h		

12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
69011-36-5	isotridecanol ethoxylates (>5-20EO)			
	OECD-Richtlinie 301 A	>70%	28	
	Easily biodegradable (concerning to the criteria of the OECD)			
	OECD-Richtlinie 301 B	>60%	28	
	Easily biodegradable (concerning to the criteria of the OECD)			

12.3. Bioaccumulative potential

Does not accumulate in organisms.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
69011-36-5	isotridecanol ethoxylates (>5-20EO)	2,4

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

due to the alkaline character of the product, usually, it has to be neutralized before contaminated effluents are introduced into the waste water treatment system.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 7 of 8

Further information

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

Chemical Oxygen Demand (COD) [mg O₂/g Produkt]: 505

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Waste disposal number of waste from residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Water.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

Consult supplier about waste disposal.

Cleaned containers may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

Air transport (ICAO)

14.1. UN number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special measures are necessary.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Truck Top Wash (German: LKW-Oberwäsche)

Print date: 16.03.2016

Page 8 of 8

EU regulatory information

2004/42/EC (VOC):

Volatile organic compounds (VOC) in percentage by weight: 0

Additional information

648/2004: chapter 3 chemical characterization (mixture)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D):

2 - water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2.

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)